

Genie E/B/Bs



Genie. The genius amongst scrubbing machines, scrubs, dries and sanitises in a single pass.



Genie E/B/Bs


Genie. The market genius

Genie is a small walk behind scrubbing machine ideal for easy automation of mop cleaning systems. Genie is available in mains or battery-powered versions.


Results are immediately evident, cleaning times and running costs are drastically reduced. Operator fatigue and repetitive strain injury are considerably lessened and productivity is exponentially increased.

Genie revolutionises the traditional cleaning market, considering that 90% of up to 1000 sqm areas are still cleaned with extremely expensive and poorly effective manual systems.



 Genie E



 Genie B



 Genie Bs

Genie is suitable for cleaning small-size and congested areas:
offices, restaurants, coffee bars, wellness centres, hairdressers,
boutiques, laundrettes, school rooms, GP, dental and vet clinics, chemist shops,
nursing homes, theatres, kitchens, laboratories, supermarkets, butchers' shops,
railway and underground trains, airports, dwellings, hotels etc.



Genie.

The cleaning genius, on bends...

Thanks to the innovative parabolic squeegee which swings around the brush, the Genie is the only scrubbing machine that scrubs and dries perfectly even on bends without having to keep on a straight line.



... around corners and along walls

Genie is designed with a handle bar which ensures 180° flexibility.


This design is absolutely essential for:

- effortless cleaning around corners avoiding complex manoeuvres
- folding down the handle bar for greater ease of transport and storage
- easy low level cleaning (under desks & tables)



... and under tables.

(especially with Genie Bs, the sweeping version with cylindrical brushes)



Genie Bs.
Thanks to the low profile design of the solution tank, the Genie Bs can scrub under shelves and fixtures as low as 38 cm from the floor

Genie Bs.
Thanks to its front squeegee, it ensures drying in both directions

Genie removes dirt thoroughly unlike traditional mopping systems. Genie leaves floors perfectly dry, minimising high risk slip and trip accidents.



- The relief valve on the solution tank cap ensures constant water flow to the floor for even cleaning results



- Thanks to the automatic squeegee and brush adjusting system, the machine can automatically compensate for uneven floors

Genie Bs

The Genie which sweeps and scrubs in one action. Cylindrical brush cleaning ideal for safety and tiled flooring.



Cylindrical brushes are ideal for grout cleaning in catering and leisure facilities.

Simple hopper access allows pulled debris to be emptied easily



Genie.

A genius in terms of runtime and user friendliness

Genie B/Bs is perfect for cleaning highly congested areas and one battery charge is designed for a standard cleaning shift. Easy battery replacement offers runtime capability to cover several cleaning session.



Genie; compact without compromise

Thanks to its size, Genie can be stored folded vertically. Attention: on the battery-powered version, this operation is only recommended with gel batteries

Genie B comes with a 12V/6A built-in battery charger

Battery recharging is extremely easy because of the Genie plug in and leave design, no external charge to damage



Genie is user-friendly:

just fill up the solution tank with water and detergent, fit the brush and lower the squeegee to start operating.

- Genie E/B Automatic brush coupling system. For automatic brush coupling and release, just apply a light impulse to the safety switch that is fitted on the handle bar

Genie E;
the electrical version with cable,
is ideal for cleaning small areas
and provides endless runtime.

The practical hook
enables easy cable storage
when the machine is operating or,
otherwise, as cable holder
(15 m extension cable is available
as optional extra on request)



Genie. The sanitisation genius

Cleaning and maintaining your Genie is effortless thanks to easy tank removal and filter access.
The Genies high-quality components ensure long life and reliability, delivering low full life costs.
Thanks to the use of plastic materials (polyethylene), aluminium and steel, the components of Genie B never rust.



Simple and practical
thorough cleaning
of the suction filter



The recovery tank can be effortlessly pulled
out for easy emptying



Periodic cleaning
of the squeegee hose
to ensure efficient
suction



For excellent drying
performance, the
squeegee rubbers should
be always be kept clean.
When worn out, the
squeegee rubbers
are very easy to replace

Genie E is supplied complete with: brush or pad holder.
 Genie B is supplied complete with: gel battery, built-in battery charger and brush or pad holder.
 Genie Bs is supplied complete with: gel battery, built-in battery charger and cylindrical brushes.

| TECHNICAL DESCRIPTION | | GENIE E | GENIE B | GENIE Bs |
|-----------------------|---------|-----------|---------|---------------|
| Squeegee width | mm | 440 | 440 | 525 |
| Working width | mm | 350 | 350 | 335 |
| Solution tank | l | 8 | 10 | 10 |
| Recovery tank | l | 10 | 10 | 10 |
| Brush Ø | (n.) mm | (1) 350 | (1) 350 | (2) 110 x 335 |
| Brush motor | V/W | 220-230/- | 12/250 | 12/250 |
| Brush rpm | rpm | 140 | 140 | 450 |
| Brush pressure | kg | 18 | 20 | 14,5 |
| Suction motor | V/W | 220-230/- | 12/250 | 12/240 |
| Suction vacuum | mbar | 72 | 72 | 72 |

| TECHNICAL DESCRIPTION | | GENIE E | GENIE B | GENIE Bs |
|---|--------------|---------------|-----------------------|-----------------------|
| Forward speed | km/h | 3 | 3 | 3 |
| Supply/Traction | V | 230/semi aut. | 12/semi aut. | 12/semi aut. |
| Gradeability | % | 2 | 2 | 2 |
| Battery compartment dimensions (L x h x w) | mm | - | 174x235x286 | 174x235x286 |
| Batteries (No.) | V/A5 C5 | - | 12/62 (1) | 12/62 (1) |
| Batteries weight | Kg | - | 25 | 25 |
| Machine weight (without batteries) | Kg | 35 | 42 | 42 |
| Machine dimensions (L x h x w) | mm | 620x1050x440 | 682x1018x440 | 718x1105x460 |
| Working capacity | up to sq.m/h | 800 | 1000 | 1010 |
| Electromagnetic compatibility (Emission standard) | | EN 55014-1 | EN 61000-6-1, 2, 3, 4 | EN 61000-6-1, 2, 3, 4 |

Ask your dealer Fimap Service Packs:
no more unexpected costs!



Fimap can offer the ideal solution according to different budgets and needs, choosing one of the three solutions: LIGHT Service Pack covering the ordinary maintenance, SMART Service Pack for ordinary maintenance and the replacement of wear materials, or FULL Service Pack which, besides the services of the first two packs, includes also the replacement of consumables.

Choosing one of Fimap Service Packs you will benefit of:

- Peace of mind for your purchase regularly controlled by qualified technicians
- No more added costs to pay
- Performances guaranteed over time
- Longer product life

For further details please refer to general terms and conditions available at www.fimap.com inside "Fimap Service Pack" of "Services" section

WARRANTY

Ask your country dealer more information about warranty conditions

CERTIFICATIONS



For any additional information or for a demo please contact your usual Fimap dealer



FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy
 Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com

